



EQUIPMENT LIST

Form n° S-06/2
Rev. 2
Issued 10/10

Page 1 of 5

Document n°	Rev. n°	Edited by RGQ	Verified by RDT	Approved by RSA	Archived by RGQ
1	16			 SORBIT s.r.l. P.A. Bruno Bonadonna 14/10/2018	
		21/06/2018	21/06/2018	21/06/2018	

FURNACES





Position	Equipment name	Temperature range	Useful dimensions (mm)	Typology	Atmosphere
1	F1	0°-1.100°C	w x h x l: 1800x1800x10500	GAS	AIR
2	F5	0°-970°C	w x h x l: 1630X280X7420 with basket of: 810x300x530	GAS	AIR
3	F 6/1	0°-820°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	ELCTRIC	AIR/NITROGEN
4	F 6/2	0°-820°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	ELCTRIC	AIR/NITROGEN
5	F 6/3	0°-820°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	ELCTRIC	AIR/NITROGEN
6	F 6/4	0°-820°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	ELCTRIC	AIR/NITROGEN
7	F 6/5	0°-820°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	ELCTRIC	AIR/NITROGEN
8	F 6/6	0°-820°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	ELCTRIC	AIR/NITROGEN
9	F 6/7	0°-1.100°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	ELCTRIC	AIR/NITROGEN
10	F 6/8	0°-1.100°C	lw x h x l: 1300x1120x2000 Capacity: max 3500 Kg	ELCTRIC	AIR/NITROGEN
11	F 6/9	0°-1.100°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	ELCTRIC	AIR/NITROGEN
12	F 6/10	0°-1.300°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	GAS	AIR
13	F 6/11	0°-1.300°C	w x h x l: 1300x1120x2000 Capacity: max 3500 Kg	GAS	AIR
15	F 9	0°-1.300°C	w x h x l: 2800x2200x8400	GAS	AIR
16	F 10/1	0°-1.300°C	w x h x l: 1640x1250x 2200 Capacity: max 5000 Kg	GAS	AIR
17	F 10/2	0°-1.300°C	w x h x l: 1640x1250x 2200 Capacity: max 5000 Kg	GAS	AIR



EQUIPMENT LIST

Form n° S-06/2
Rev. 2
Issued 10/10

Page 2 of 5

Document n°	Rev. n°	Edited by RGQ	Verified by RDT	Approved by RSA	Archived by RGQ
1	16				
		21/06/2018	21/06/2018	21/06/2018	

COOLING TANKS





Position	Equipment name	Cooling type	Useful dimensions (mm)	Capacity	Note
1	Big tank	Oil	l x h x w: 3000x2500x9000	m ³ 68,5	Forced movement liquid
2	Big tank	Water	l x h x w: 3000x2300x12000	m ³ 83	Forced movement liquid
3	Tank F n°5	Water	l x h x w: 2400x1500x1400	m ³ 5	Forced movement liquid
4	Tank F n°5	Oil	l x h x w: 2400x1500x1400	m ³ 5	Forced movement liquid
5	Tank island F n°10	Water	l x h x w: 3000x2300x3700	m ³ 25	Forced movement liquid
6	Tank island F n°10	Oil	l x h x w: 3000x2300x3700	m ³ 25	Forced movement liquid
7	Tank island F n° 6	Water + polymer	l x h x w: 1460x1670x4400	m ³ 11	Forced movement liquid
8	Tank island F n° 6/7	Oil	l x h x w: 2600x1870x4400	m ³ 21	Forced movement liquid
9	Tank island F n° 6/9	Oil	l x h x w: 2600x1870x4400	m ³ 21	Forced movement liquid
10	Tank island F n° 6/10	Water	l x h x w: 2600x1870x4400	m ³ 21	Forced movement liquid
11	Tank island F n° 6/12	Water	l x h x w: 3200x1870x4400	m ³ 26	Forced movement liquid



EQUIPMENT LIST

Form n° S-06/2
Rev. 2
Issued 10/10

Page 3 of 5

Document n°	Rev. n°	Edited by RGQ	Verified by RDT	Approved by RSA	Archived by RGQ
1	16				
		21/06/2018	21/06/2018	21/06/2018	

SANDBLASTING MACHINES





Position	Equipment name	Typology	Useful dimensions (mm) / Carrying capacity
1	n° S1	Shot blasting room	l x h x w: 4000x4000x10000
2	n° S2	Tumble belt sandblasting machine (mod. OMSG SG8N)	max 2000 Kg
3	n° S3	Tumble belt sandblasting machine (mod. SG/6/N)	max 1200 Kg
4	n° S4	Tumble belt sandblasting machine (mod. CS SBC 600)	max 2000 Kg
5	n° S5	Hook type sandblasting machine (Sander 5-13)	max 1000 Kg
6	n° S6	Hook type sandblasting machine (mod. CS-HMH 1500X2000—P5000)	max 5000 Kg



EQUIPMENT LIST

Form n° S-06/2
Rev. 2
Issued 10/10

Page 4 of 5

Document n°	Rev. n°	Edited by RGQ	Verified by RDT	Approved by RSA	Archived by RGQ
1	16				
		21/06/2018	21/06/2018	21/06/2018	

HARDNESS TESTERS - MICROSCOPES

Position	Equipment name	Code	Calibration				Placement
			INT	EXT	Frequency	Period (month)	
1	Hardness tester HRC EMCOTEST	D1	X		See form	01-07	LAB
2	Hardness tester WOLPERT HV30-HBS2,5 187-HRC	D2	X		See form	01-07	LAB
3	Microhardometer GALILEO DG901	D3	X		See form	Before use	LAB
4	HB Portable hardness tester 6/86/485 W55-HBS 10/3000 KING	D4	X		See form	01-07	LAB
5	DUROMETRO CALIBRO HRC	D5	X		See form	Before use	LAB
6	Hardness tester REICHERTER HBS10/3000	D6	X		See form	01-07	TESTING AREA
7	Hardness tester WOLPERT HBS10/3000	D8	X		See form	01-07	TESTING AREA
8	Manual hardness tester	D9	X		Not used	Not used	ON STOCK
9	Hardness tester	D10	X		See form	Before use	TESTING AREA
10	Rebound hardness tester	D11	X		Not used	Not used	ON STOCK
11	Hardness tester POLDI	D12	X		See form	Before use	TESTING AREA
12	Hardness tester DYNATEST HB HRC	D14	X		See form	01-07	TESTING AREA
13	Hardness tester Q NESS Q3000 PER HBW 10/3000	D15	X		See form	01-07	TESTING AREA
14	BRINTRONIC	D16	X		See form	01-07	TESTING AREA
15	BRINTRONIC	D17	X		See form	01-07	TESTING AREA



EQUIPMENT LIST

Form n° S-06/2
Rev. 2
Issued 10/10

Page 5 of 5

Document n°	Rev. n°	Edited by RGQ	Verified by RDT	Approved by RSA	Archived by RGQ
1	16			 SORBIT s.r.l. P.A. 01/10/2010	
		21/06/2018	21/06/2018	21/06/2018	

MOVEMENT (bridge cranes, forklifts, ...)

Position	Equipment name	Typology	Carrying capacity	Characteristics
1	n° CA1 ID n° 0080 Year: 2002	Bridge crane	10.000 Kg	Lifting: 7 m Span: 18,92 m
2	n° CA2 ID n° 0066 Year: 2001	Bridge crane	5.000 Kg	Lifting: 7 m Span: 18,92 m
3	n° CA3 ID n° 5468 Year: 1981	Bridge crane	15.000 Kg	Lifting: 7 m Span: 19,92 m
6	n° CA6 ID n° 0081 Year: 2002	Bridge crane	10.000 Kg	Lifting: 7 m Span: 15,7 m
7	n° CA7 ID n° 0082 Year: 2002	Bridge crane	15.000 Kg	Lifting: 7 m Span: 15,7 m
8	n° CA8 ID n° 0179 Year: 2005	Bridge crane	15.000 Kg	Lifting: 7 m Span: 18,92 m
1	Industrial manipulator ID n° 138	LIFTRONIC EASY E80C	80 Kg	Arm length: 2,5 m Lifting: 3 m
1	n° M4 ID n° I-9434	Movable crane	25.000 Kg	Lifting: 23.5 m
1	n. M13 ID n° H2X 394 J 00904	Forklift H50D02	5.000 Kg	
2	n. M11 ID n° H2X 394 F 00191	Forklift H50D EVO 3B	5.000 Kg	
3	n. M12 ID n° H2X 394 H03501	Forklift H50D02	5.000 Kg	